Contents

Volume 102 1988

BOOKS IN DEVELOPMENT 1

CONTRIBUTED PAPERS

Litvin, J. and King, M. L.
Expression and segregation of nucleoplasmin during development in *Xenopus* 9

Morgan, R. A., Christy, R. J. and Huang, R. C. C.
Murine A type retroviruses promote high levels of gene expression in embryonal carcinoma cells 23

Gong, Z. and Brandhorst, B.
Autogenous regulation of tubulin synthesis *via* RNA stability during sea urchin embryogenesis 31

Niswander, L., Yee, D., Rinchik, E. M., Russell, L. B. and Magnuson, T.
The albino deletion complex and early postimplantation survival in the mouse 45

Serras, F., Baud, C., Moreau, M., Guerrier, P. and Van den Biggelaar, J. A. M.
Intercellular communication in the early embryo of the ascidian *Ciona intestinalis* 55

Cossu, G., Ranaldi, G., Senni, M. I., Molinaro, M. and Vivarelli, E.
'Early' mammalian myoblasts are resistant to phorbol ester-induced block of differentiation 65

Bart, A.
Proximodistal leg regeneration in *Carausius morosus*: growth, intercalation and proximalization 71

Cooke, J. and Smith, E. J.
The restrictive effect of early exposure to lithium upon body pattern in *Xenopus* development, studied by quantitative anatomy and immunofluorescence 85

Ebendal, T. and Persson, H.
Detection of nerve growth factor mRNA in the developing chicken embryo 101

Nakayama, H., Kuroda, H., Fujita, J. and Kitamura, Y.
Studies of $Sl/Sl^d \leftrightarrow +/+$ mouse aggregation chimaeras. I. Different distribution patterns between melanocytes and mast cells in the skin 107

Nakayama, H., Kuroda, H., Onoue, H., Fujita, J., Nishimune, Y., Matsumoto, K., Nagano, T., Suzuki, F. and Kitamura, Y.
Studies of $Sl/Sl^d \leftrightarrow +/+$ mouse aggregation chimaeras. II. Effect of the steel locus on spermatogenesis 117

Varmuza, S., Prideaux, V., Kothary, R. and Rossant, J.
Polytene chromosomes in mouse trophoblast giant cells 127

Hollands, P.
Differentiation of embryonic haemopoietic stem cells from mouse blastocysts grown *in vitro* 135

Johnson, M. H., Pickering, S. J., Dhiman, A., Radcliffe, G. S. and Maro, B.
Cytocortical organization during natural and prolonged mitosis of mouse 8-cell blastomeres 143

Holland, P. W. H. and Hogan, B. L.
Spatially restricted patterns of expression of the homeobox-containing gene *Hox 2.1* during mouse embryogenesis 159

French, V. and Rowlands, T. F.
Regeneration in the medial–lateral axis of the insect thoracic segment 175

Thorpe, S. J., Bellairs, R. and Feizi, T.
Developmental patterning of carbohydrate antigens during early embryogenesis of the chick: expression of antigens of the poly-*N*-acetyllactosamine series 193

Lloyd, C. W. and Traas, J. A.
The role of F-actin in determining the division plane of carrot suspension cells. Drug studies 211

Bode, P. M., Awad, T. A., Koizumi, O., Nakashima, Y., Grimmelikhuijzen, C. J. P. and Bode, H. R.
Development of the two-part pattern during regeneration of the head in hydra 223

Mackie, E. J., Tucker, R. P., Halfter, W., Chiquet-Ehrismann, R. and Epperlein, H. H.
The distribution of tenascin coincides with pathways of neural crest cell migration 237

ESSAY IN DEVELOPMENT

Goodfellow, P. N. and Darling, S. M.
Genetics of sex determination in man and mouse 251

CONTRIBUTED PAPERS

Takahashi, Y., Hanaoka, K., Hayasaka, M., Katoh, K., Kato, Y., Okada, T. S. and Kondoh, H.
Embryonic stem cell-mediated transfer and correct regulation of the chicken δ-crystallin gene in developing mouse embryos 259

Houliston, E., Guilly, M.-N., Courvalin, J.-C. and Maro, B.
Expression of nuclear lamins during mouse preimplantation development 271

Cormier, F. and Dieterlen-Lièvre, F.
The wall of the chick embryo aorta harbours M-CFC, G-CFC, GM-CFC and BFU-E 279

Franks, R. R., Hough-Evans, B. R., Britten, R. J. and Davidson, E. H.
Direct introduction of cloned DNA into sea urchin zygote nucleus, and fate of injected DNA 287

Langille, R. M. and Hall, B. K.
Role of the neural crest in development of the trabeculae and branchial arches in embryonic sea lamprey, *Petromyzon marinus* (L) 301

Wolf, N., Regan, C. L. and Fuller, M. T.
Temporal and spatial pattern of differences in microtubule behaviour during *Drosophila* embryogenesis revealed by distribution of a tubulin isoform 311

Martinez-Arias, A. and White, R. A. H.
Ultrabithorax and *engrailed* expression in *Drosophila* embryos mutant for segmentation genes of the pair-rule class 325

Simon-Assmann, P., Bouziges, F., Arnold, C., Haffen, K. and Kedinger, M.
Epithelial–mesenchymal interactions in the production of basement membrane components in the gut 339

Fibi, M., Zink, B., Kessel, M., Colberg-Poley, A. M., Labeit, S., Lehrach, H. and Gruss, P.
Coding sequence and expression of the homeobox gene *Hox 1.3* 349

Raynaud, B., Faucon-Biguet, N., Vidal, S., Mallet, J. and Weber, M. J.
Regulation of neurotransmitter metabolic enzymes and tyrosine hydroxylase mRNA level by nerve growth factor in cultures sympathetic neurones 361

Mirre, C., Cecchini, J.-P., Le Parco, Y. and Knibiehler, B.
De novo expression of a type IV collagen gene in *Drosophila* embryos is restricted to mesodermal derivatives and occurs at germ band shortening 369

Nijhout, H. F. and Grunert, L. W.
Colour pattern regulation after surgery on the wing disks of *Precis coenia* (Lepidoptera: Nymphalidae) 377

Layer, P. G., Alber, R. and Rathjen, F. G.
Sequential activation of butyrylcholinesterase in rostral half somites and acetylcholinesterase in motoneurones and myotomes preceding growth of motor axons 387

Sharpe, P. T., Miller, J. R., Evans, E. P., Burtenshaw, M. D. and Gaunt, S. J.
Isolation and expression of a new mouse homeobox gene 397

Reynolds, R. and Wilkin, G. P.
Development of macroglial cells in rat cerebellum. II An *in situ* immunohistochemical study of oligodendroglial lineage from precursor to mature myelinating cell 409

Chan, W. Y. and Tam, P. P. L.
A morphological and experimental study of the mesencephalic neural crest cells in the mouse embryo using wheat germ agglutinin–gold conjugate as the cell marker 427

Burgoyne, P. S., Buehr, M., Koopman, P., Rossant, J. and McLaren, A.
Cell-autonomous action of the testis-determining gene: Sertoli cells are exclusively XY in XX↔XY chimaeric mouse testes 443

ESSAY IN DEVELOPMENT

Mercola, M. and Stiles, C. D.
Growth factor superfamilies and mammalian embryogenesis 451

CONTRIBUTED PAPERS

Sandberg, M., Vuorio, T., Hirvonen, H., Alitalo, K. and Vuorio, E.
Enhanced expression of TGF-β and c-*fos* mRNAs in the growth plates of developing human long bones 461

Risau, W., Sariola, H., Zerwes, H.-G., Sasse, J., Ekblom, P., Kemler, R. and Doetschman, T.
Vasculogenesis and angiogenesis in embryonic-stem-cell-derived embryoid bodies 471

Humphrey, M. F. and Stuermer, C. A. O.
Tectal pathways of regenerating goldfish optic axons after nasal or temporal half retinal removal 479

Baker, N. E.
Transcription of the segment-polarity gene *wingless* in the imaginal discs of *Drosophila*, and the phenotype of a pupal-lethal *wg* mutation 489

Lemke, G. and Chao, M.
Axons regulate Schwann cell expression of the major myelin and NGF receptor genes 499

Néant, I. and Guerrier, P.
Meiosis reinitiation in the mollusc *Patella vulgata*. Regulation of MPF, CSF and chromosome condensation activity by intracellular pH, protein synthesis and phosphorylation 505

Grainger, R. M., Henry, J. J. and Henderson, R. A.
Reinvestigation of the role of the optic vesicle in embryonic lens induction 517

Ikenishi, K. and Tsuzaki, Y.
The positional effect of presumptive primordial germ cells (pPGCs) on their differentiation into PGCs in *Xenopus* 527

Wilson, M. A., Taylor, J. S. H. and Gaze, R. M.
A developmental and ultrastructural study of the optic chiasma in *Xenopus* 537

Godsave, S. F., Isaacs, H. V. and Slack, J. M. W.
Mesoderm-inducing factors: a small class of molecules 555

Hirobe, T.
Developmental changes of the proliferative response of mouse epidermal melanocytes to skin wounding 567

Wood, A. and Timmermans, L. P. M.
Teleost epiboly: a reassessment of deep cell movement in the germ ring 575

Ng, S. F.
Cortical positioning and the fate of oral structures during the sexual process in amicronucleate homopolar tandems of *Paramecium* 587

Lee, S. H., Ahuja, K. K., Gilburt, D. J. and Whittingham, D. G.
The appearance of glycoconjugates associated with cortical granule release during mouse fertilization 595

Greenburg, G. and Hay, E. D.
Cytoskeleton and thyroglobulin expression change during transformation of thyroid epithelium to mesenchyme-like cells 605

Argüello, C., Alanis, J. and Valenzuela, B.
The early development of the atrioventricular node and bundle of His in the embryonic chick heart. An electrophysiological and morphological study 623

ESSAY IN DEVELOPMENT

Takeichi, M.
The cadherins: cell–cell adhesion molecules controlling animal morphogenesis 639

CONTRIBUTED PAPERS

Gibson, G. and Gehring, W. J.
Head and thoracic transformations caused by ectopic expression of *Antennapedia* during *Drosophila* development 657

Regen, C. M. and Steinhardt, R. A.
Lithium dorsalizes but also mechanically disrupts gastrulation of *Xenopus laevis* 677

Crawford, K. and Stocum, D. L.
Retinoic acid coordinately proximalizes regenerate pattern and blastema differential affinity in axolotl limbs 687

Wolfe, J. and Feng, S.
Concanavalin A receptor 'tipping' in *Tetrahymena* and its relationship to cell adhesion during conjugation 699

Lauder, J. M., Tamir, H. and Sadler, T. W.
Serotonin and morphogenesis. I. Sites of serotonin uptake and -binding protein immunoreactivity in the midgestation mouse embryo 709

Strecker, T. R., Merriam, J. R. and Lengyel, J. A.
Graded requirement for the zygotic terminal gene, *tailless*, in the brain and tail region of the *Drosophila* embryo 721

Coffin, J. D. and Poole, T. J.
Embryonic vascular development: immunohistochemical identification of the origin and subsequent morphogenesis of the major vessel primordia in quail embryos 735

Klein, G., Langegger, M., Goridis, C. and Ekblom, P.
Neural cell adhesion molecules during embryonic induction and development of the kidney 749

Butler, J., Cosmos, E. and Cauwenbergs, P.
Positional signals: evidence for a possible role in muscle fibre-type patterning of the embryonic avian limb 763

Barra, J. and Renard, J.-P.
Diploid mouse embryos constructed at the late 2-cell stage from haploid parthenotes and androgenotes can develop to term 773

Jones, R., Brown, C. R. and Lancaster, R. T.
Carbohydrate-binding properties of boar sperm proacrosin and assessment of its role in sperm – egg recognition and adhesion during fertilization 781

Papaioannou, V. E. and Ebert, K. M.
The preimplantation pig embryo: cell number and allocation to trophectoderm and inner cell mass of the blastocyst *in vivo* and *in vitro* 793

Currie, D. A., Milner, M. J. and Evans, C. W.
The growth and differentiation *in vitro* of leg and wing imaginal disc cells from *Drosophila melanogaster* 805

Wilson, S. J., Ross, J. J. and Harris, A. J.
A critical period for formation of secondary myotubes defined by prenatal undernourishment in rats 815

Wilson, S. and Holder, N.
Evidence for axonal 'decision regions' in the axolotl peripheral nervous system 823

Harland, R. and Misher, L.
Stability of RNA in developing *Xenopus* embryos and identification of a destabilizing sequence in TFIIIA messenger RNA 837

Abbott, B. D., Adamson, E. D. and Pratt, R. M.
Retinoic acid alters EGF receptor expression during palatogenesis 853

Hartenstein, V.
Development of *Drosophila* larval sensory organs: spatiotemporal pattern of sensory neurones, peripheral axonal pathways and sensilla differentiation 869

Index of Authors and Titles 887

Subject Index 891